

# Concurrent Systems

*Nebenläufige Systeme*

## VIII. Monitor

Wolfgang Schröder-Preikschat

January 8, 2020



# Agenda

---

Preface

Fundamentals

- Mutual Exclusion

- Condition Variable

- Signalling Semantics

Implementation

- Data Structures

- Use Case

- Operations

Summary



# Outline

---

## Preface

## Fundamentals

Mutual Exclusion

Condition Variable

Signalling Semantics

## Implementation

Data Structures

Use Case

Operations

## Summary



- discussion on **abstract concepts** as to “a shared variable and the set of meaningful operations on it” [7, p. 121]:
  - **monitor** ■ a *language notation*, initially denoted by **critical region** [6, 7]
  - associates a set of procedures with a shared variable



- discussion on **abstract concepts** as to “a shared variable and the set of meaningful operations on it” [7, p. 121]:
  - monitor
    - a *language notation*, initially denoted by **critical region** [6, 7]
    - associates a set of procedures with a shared variable
    - enables a compiler to:
      - i check that only these procedures are carried out on that variable
      - ii ensure that the respective operations exclude each other in time



# Subject Matter

- discussion on **abstract concepts** as to “a shared variable and the set of meaningful operations on it” [7, p. 121]:
  - **monitor** ■ a *language notation*, initially denoted by **critical region** [6, 7]
    - associates a set of procedures with a shared variable
  - **condition** ■ one or more special variables that do “not have any stored value accessible to the program” [12, p. 550]
    - used to indicate and control a particular wait mode
      - for the respective process inside the monitor



- discussion on **abstract concepts** as to “a shared variable and the set of meaningful operations on it” [7, p. 121]:
  - **monitor** ■ a *language notation*, initially denoted by **critical region** [6, 7]
    - associates a set of procedures with a shared variable
  - **condition** ■ one or more special variables that do “not have any stored value accessible to the program” [12, p. 550]
    - used to indicate and control a particular wait mode
- in functional terms, get to know “monitor” as fundamental means of synchronisation independent of linguistic features
  - explanation of various styles: Hansen, Hoare, Concurrent Pascal, Mesa
  - according to this, schematic representation of implementation variants



# Subject Matter

---

- discussion on **abstract concepts** as to “a shared variable and the set of meaningful operations on it” [7, p. 121]:
  - **monitor** ■ a *language notation*, initially denoted by **critical region** [6, 7]
    - associates a set of procedures with a shared variable
  - **condition** ■ one or more special variables that do “not have any stored value accessible to the program” [12, p. 550]
    - used to indicate and control a particular wait mode
- in functional terms, get to know “monitor” as fundamental means of synchronisation independent of linguistic features
- demonstrate basic functions of a fictitious (language) run-time system



- for all advantages, semaphores are to be approached with caution:
  - too low level, programmers must keep track of all calls to  $P$  and  $V$
  - although different, used for both uni- and multilateral synchronisation



- for all advantages, semaphores are to be approached with caution
- out of it, various design and languages concepts originated:
  - secretary ■ idea for structuring control of sharing [5, p. 135–136]
  - critical region ■ **mutual exclusive** use of a shared variable [6]
  - event variable ■ a shared variable associated with an **event queue** [6]
  - path expressions ■ synchronisation rules within type definitions [2]



- for all advantages, semaphores are to be approached with caution
- out of it, various design and languages concepts originated:
  - secretary ■ idea for structuring control of sharing [5, p. 135–136]
  - critical region ■ **mutual exclusive** use of a shared variable [6]
  - event variable ■ a shared variable associated with an **event queue** [6]
  - path expressions ■ synchronisation rules within type definitions [2]
  - monitor ■ **class-like** synchronised data type [7, 12, 14]
    - inspired by SIMULA 67 [4, 3]
    - first implemented in Concurrent Pascal [9]
    - comes in a characteristic of many kinds [1, 10]



- for all advantages, semaphores are to be approached with caution
- out of it, various design and languages concepts originated
- yet, the subject matter is beyond programming-language constructs
  - it is fundamental for system programming and system-level operation

### Hint (Monitor [7, p. 121])

*The purpose of a monitor is to control the scheduling of resources among individual processes according to a certain policy.*



# Outline

---

Preface

**Fundamentals**

Mutual Exclusion

Condition Variable

Signalling Semantics

Implementation

Data Structures

Use Case

Operations

Summary



## Class Concept Expanded by Coordination

---

- key aspect is to facilitate solely indirect access to shared variables by means of **monitor procedures**



# Class Concept Expanded by Coordination

---

- key aspect is to facilitate solely indirect access to shared variables by means of **monitor procedures**
  - by definition, these procedures have to execute by **mutual exclusion**
    - on behalf of the calling process, the **procedure prologue** applies for exclusive occupation of the monitor  $\leadsto$  *lockout* simultaneous processes
    - on behalf of the occupying process, at return the **procedure epilogue** releases the monitor again  $\leadsto$  *proceed* locked processes, if any



# Class Concept Expanded by Coordination

---

- key aspect is to facilitate solely indirect access to shared variables by means of **monitor procedures**
  - by definition, these procedures have to execute by **mutual exclusion**
  
- usually, a compiler is in charge of ejecting the procedure pro- and epilogue
  - only infinite loops or hardware failures may prevent epilogue execution
  - only constructs beyond the **frame of reference** may force abnormality<sup>1</sup>

---

<sup>1</sup>Thinking of a multi-language system.



## Class Concept Expanded by Coordination

---

- key aspect is to facilitate solely indirect access to shared variables by means of **monitor procedures**
  - by definition, these procedures have to execute by **mutual exclusion**
  - usually, a compiler is in charge of ejecting the procedure pro- and epilogue
  - in logical respect, deadlocks due to programmed absence of unblocking of critical sections are impossible





## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit



## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit
  - Hansen ■ proposed to attach a shared variable to an *event* [6, p. 577]
    - with *cause* and *await* as intrinsic functions for event signalling



## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit

Hoare ■ proposed a non-attached *condition variable* [12, p. 550]  
■ with *wait* and *signal* as intrinsic functions for condition handling



## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit
  
- in operating-system terms, per variable an **event queue** of processes waiting by reason of a certain condition
  - sticking point is how the event queue is being acted upon



## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit
  
- in operating-system terms, per variable an **event queue** of processes waiting by reason of a certain condition

Hansen ■ all processes can be transferred to the monitor waitlist (*cause*)  
■ suggests that the former take priority over the latter [7, p. 118]



## Intentional Process Delay

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit
  
- in operating-system terms, per variable an **event queue** of processes waiting by reason of a certain condition

Hansen ■ all processes can be transferred to the monitor waitlist (*cause*)

- suggests that the former take priority over the latter [7, p. 118]
- remodels his idea to a *single-process waitlist* [8, 9]: **all  $\equiv$  one**



## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit
  
- in operating-system terms, per variable an **event queue** of processes waiting by reason of a certain condition

Hoare ■ exactly one out of the waiting processes is selected (*signal*)  
■ decrees that the chosen one is immediately resumed [12, p. 550]



## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit
  
- in operating-system terms, per variable an **event queue** of processes waiting by reason of a certain condition

**Hansen** ■ all processes can be transferred to the monitor waitlist (*cause*)

**Hoare** ■ exactly one out of the waiting processes is selected (*signal*)

- but signalling is non-effective (void) if no process would be waiting on it



## Intentional Process Delay

---

- multilateral (blocking) synchronisation is implicit basis of a monitor, but **unilateral synchronisation** needs to be made explicit
  
- in operating-system terms, per variable an **event queue** of processes waiting by reason of a certain condition
  - Hansen ■ all processes can be transferred to the monitor waitlist (*cause*)
  
  - Hoare ■ exactly one out of the waiting processes is selected (*signal*)
  
- in this spirit, the **signalling convention** makes the wide difference and affects structuring of monitor-based non-sequential programs [13]



- explicit signal operation assumed



- explicit signal operation assumed, **signal-and- $\phi$** , with  $\phi$  indicating the behaviour of the signalling process as follows:
  - wait ■ join monitor **entrance queue** and leave the monitor
  - resume all signalled processes (one at a time)
  - re-enter the monitor, compete against all processes



- explicit signal operation assumed, **signal-and- $\phi$** , with  $\phi$  indicating the behaviour of the signalling process as follows:

- urgent wait**
- join **preferential queue** and leave the monitor
  - resume one signalled process (first come, first served)
  - re-enter the monitor, enjoy priority over entrant processes



- explicit signal operation assumed, **signal-and- $\phi$** , with  $\phi$  indicating the behaviour of the signalling process as follows:

**return** ■ leave the monitor and resume the single signalled process



- explicit signal operation assumed, **signal-and- $\phi$** , with  $\phi$  indicating the behaviour of the signalling process as follows:

- continue**
- carry on holding the monitor, keep inside the procedure
  - resume all signalled processes (one at a time) at return



- in case of absence of a signal primitive, signalling may still happen:  
**automatic**
  - leave the monitor and re-evaluate waiting conditions
  - if so, resume no longer waiting processes (one at a time)







# Atomicity of Control Transfer

---

- consequence for the **ownership structure** of monitor and signaller:
  - change ■ signal and wait, urgent wait, or return
  - keep ■ signal and continue or automatic signalling



# Atomicity of Control Transfer

---

- consequence for the **ownership structure** of monitor and signaller:
  - change ■ signal and wait, urgent wait, or return
  - keep ■ signal and continue or automatic signalling
- with an **indivisible change** in ownership a signallee has guarantee on the still effective invalidation of its waiting condition



# Atomicity of Control Transfer

- consequence for the **ownership structure** of monitor and signaller:
  - change ■ signal and wait, urgent wait, or return
  - keep ■ signal and continue or automatic signalling
- with an **indivisible change** in ownership a signallee has guarantee on the still effective invalidation of its waiting condition:
  - wait ■ only for one out of possibly many signalled processes
    - if applicable, the order of process resumption is undefined
    - a resumed signallee may change the condition for the others
    - makes re-evaluation of the waiting condition necessary
  - ↔ **while** (!condition), wait: **tolerant to false signalisation**



# Atomicity of Control Transfer

- consequence for the **ownership structure** of monitor and signaller:
  - change ■ signal and wait, urgent wait, or return
  - keep ■ signal and continue or automatic signalling
- with an **indivisible change** in ownership a signallee has guarantee on the still effective invalidation of its waiting condition:

**urgent wait** ■ exactly for the single signalled process

- by definition, the process to be resumed is predetermined
- no other process can re-establish the waiting condition
- makes re-evaluation of the waiting condition unnecessary

↔ **if (!condition), wait: intolerant to false signalisation**



# Atomicity of Control Transfer

- consequence for the **ownership structure** of monitor and signaller:
  - change ■ signal and wait, urgent wait, or return
  - keep ■ signal and continue or automatic signalling
- with an **indivisible change** in ownership a signallee has guarantee on the still effective invalidation of its waiting condition:
  - wait ■ only for one out of possibly many signalled processes

urgent wait ■ exactly for the single signalled process

return ■ *ditto*





# Outline

---

Preface

Fundamentals

Mutual Exclusion

Condition Variable

Signalling Semantics

Implementation

Data Structures

Use Case

Operations

Summary



- abstraction for **mutual exclusion** of monitor-procedure executions:

```
1 typedef struct monitor {
2     semaphore_t mutex; /* initial {1} */
3 #ifdef __FAME_MONITOR_SIGNAL_RETURN__
4     bool elide; /* leave monitor locked */
5 #endif
6 #ifdef __FAME_MONITOR_SIGNAL_URGENT_WAIT__
7     lineup_t prime; /* urgent waiting signallers */
8 #endif
9 } monitor_t;
```

- mandatory feature is a *binary semaphore*
- further attributes as optional feature, depending on **signalling semantics**



- data type used for keeping track of **waiting processes**:

```
1 typedef struct lineup {
2     int count;           /* number of waiting processes */
3     semaphore_t event; /* wait-for event: initial {0} */
4 } lineup_t;
```



- abstraction for **condition synchronisation** of interacting processes:

```
1 typedef struct condition {
2     monitor_t *guard;    /* surrounding monitor */
3     lineup_t queue;     /* event awaiting list */
4 #ifdef __FAME_MONITOR_SIGNAL_WAIT__
5     lineup_t prime;     /* urgent waiting signallers */
6 #endif
7 } condition_t;
```

- mandatory features are:
  - a suitable link to the surrounding monitor object
  - a queue for processes expecting cancellation of their waiting condition
- further attributes as optional feature, depending on **signalling semantics**



- a condition variable is usually required for each waiting condition
  - their definition is part of the non-sequential program
  - as well as the typically problem-specific formulation of this condition



```
1  extern void occupy(monitor_t*);    /* enter monitor */
2  extern void vacate(monitor_t*);    /* leave monitor */
3
4  extern void comply(condition_t*);  /* wait on signal */
5  extern void cancel(condition_t*);  /* signal condition */
```

- consider these operations an additional **run-time system** element for a compiler of a “concurrent C-like” programming language



```
1 extern void occupy(monitor_t*);    /* enter monitor */
2 extern void vacate(monitor_t*);    /* leave monitor */
3
4 extern void comply(condition_t*);  /* wait on signal */
5 extern void cancel(condition_t*);  /* signal condition */
```

- consider these operations an additional **run-time system** element for a compiler of a “concurrent C-like” programming language
  - calls to `occupy` and `vacate` will be automatically generated as part of the pro- and epilogue of the respective monitor procedure
  - similarly, calls to `comply` and `cancel` will be generated for the corresponding applications of condition variables
  - in addition, instances of type `monitor` and `condition` are automatically ejected, too, by the code generation process of such a compiler



```
1 extern void occupy(monitor_t*);    /* enter monitor */
2 extern void vacate(monitor_t*);    /* leave monitor */
3
4 extern void comply(condition_t*);  /* wait on signal */
5 extern void cancel(condition_t*);  /* signal condition */
```

- consider these operations an additional **run-time system** element for a compiler of a “concurrent C-like” programming language
  
- further improvements [12, p. 551] are imaginable to also better reflect the different signalling semantics



- a bounded buffer is controlled by a **pair** of condition variables:

```
1 #include "monitor.h"
2
3 #define BUF_SIZE 80
4
5 typedef struct buffer {
6     condition_t space;           /* control of reusables */
7     condition_t data;           /* control of consumables */
8     char store[BUF_SIZE];       /* reusable resource */
9     unsigned in, out;           /* store housekeeping */
10    unsigned count;             /* wait/signal condition */
11 } buffer_t;
```



- a bounded buffer is controlled by a **pair** of condition variables:

```
1 #include "monitor.h"
2
3 #define BUF_SIZE 80
4
5 typedef struct buffer {
6     condition_t space;           /* control of reusables */
7     condition_t data;           /* control of consumables */
8     char store[BUF_SIZE];       /* reusable resource */
9     unsigned in, out;           /* store housekeeping */
10    unsigned count;             /* wait/signal condition */
11 } buffer_t;
```

- instantiation of the necessary monitor and condition variables:

```
1 static monitor_t storehouse = {1}; /* monitor is free */
2 static buffer_t buffer = {         /* actual buffer */
3     {&storehouse}, {&storehouse} /* link to monitor */
4 };
```



- handmade monitor procedure to put one item into the buffer:

```
1 void put(char item) {
2     occupy(&storehouse);    /* procedure prologue */
3     {
4         while (buffer.count == BUF_SIZE)
5             comply(&buffer.space); /* await event */
6
7         buffer.store[buffer.in] = item;
8         buffer.in = (buffer.in + 1) % BUF_SIZE;
9         buffer.count += 1;
10
11        cancel(&buffer.data);    /* cause event */
12    }
13    vacate(&storehouse);    /* procedure epilogue */
14 }
```

- 2–3 ■ monitor **entrance**, usually to be generated by a compiler
- 4–11 ■ **body** of monitor procedure, to be programmed by a human
- 12–13 ■ monitor **exit**, usually to be generated by a compiler



- handmade monitor procedure to get one item out of the buffer:

```
1 char get() {
2     char item;
3
4     occupy(&storehouse);    /* procedure prologue */
5     {
6         while (buffer.count == 0) comply(&buffer.data);
7
8         item = buffer.store[buffer.out];
9         buffer.out = (buffer.out + 1) % BUF_SIZE;
10        buffer.count -= 1;
11
12        cancel(&buffer.space);
13    }
14    vacate(&storehouse);    /* procedure epilogue */
15
16    return item;
17 }
```

- monitor entrance and exit and body of monitor procedure as before



# Signalling Semantics

- as has been foreshadowed by a **configuration option** (cf. p. 12):
  - signal and continue ■ Mesa-style [14]
  - signal and return ■ Hansen-style as to Concurrent Pascal [8, 9]
  - signal and wait ■ Hansen-style as originally proposed [7]
  - signal and urgent wait ■ Hoare-style [12]



- as has been foreshadowed by a **configuration option** (cf. p. 12):
  - **signal and continue** ■ Mesa-style [14]
  - **signal and return** ■ Hansen-style as to Concurrent Pascal [8, 9]
  - **signal and wait** ■ Hansen-style as originally proposed [7]
  - **signal and urgent wait** ■ Hoare-style [12]
- some reflect **improvements** as proposed by Hoare [12, p. 551, 1.–4.]
  - starting point was the strict approach of *signal and urgent wait* monitor
  - here, the discussion is in the order as to increasing complexity/overhead



- as has been foreshadowed by a **configuration option** (cf. p. 12):
  - signal and continue ■ Mesa-style [14]
  - signal and return ■ Hansen-style as to Concurrent Pascal [8, 9]
  - signal and wait ■ Hansen-style as originally proposed [7]
  - signal and urgent wait ■ Hoare-style [12]
  
- as indicated by the data type (cf. p. 12), the designs presented next are typical for an approach using **semaphores**
  - note that signalling is non-effective if no process is waiting on it (cf. p. 8)
  - this requires caution when using semaphores, as  $V$  leaves a signal trace
    - $V$  always has an effect: at least it increases the semaphore value



# Signalling Semantics

- as has been foreshadowed by a **configuration option** (cf. p. 12):
  - **signal and continue** ■ Mesa-style [14]
  - **signal and return** ■ Hansen-style as to Concurrent Pascal [8, 9]
  - **signal and wait** ■ Hansen-style as originally proposed [7]
  - **signal and urgent wait** ■ Hoare-style [12]
  
- as indicated by the data type (cf. p. 12), the designs presented next are typical for an approach using **semaphores**
  
- lightweight and efficient monitor operation benefits from **cross-layer optimisation** in constructive means
  - from language- to system-level run-time system to operating system



# Signal and Continue

```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     this->queue.count++;           /* sign-in process */
7     vacate(this->guard);           /* release monitor */
8     P(&this->queue.event);         /* delay process */
9     occupy(this->guard);           /* re-acquire monitor */
10    this->queue.count--;           /* sign-out process */
11 }
12
13 void cancel(condition_t *this) {
14     if (this->queue.count > 0)    /* any registered? */
15         V(&this->queue.event);    /* continue one */
16 }
```



# Signal and Continue

```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     this->queue.count++;           /* sign-in process */
7     vacate(this->guard);           /* release monitor */
8     P(&this->queue.event);         /* delay process */
9     occupy(this->guard);           /* re-acquire monitor */
10    this->queue.count--;           /* sign-out process */
11 }
12
13 void cancel(condition_t *this) {
14     if (this->queue.count > 0)    /* any registered? */
15         V(&this->queue.event);    /* continue one */
16 }
```

- as comply needs to release the monitor before delaying the process, a potential **race condition** must be prevented
  - still within the monitor, accounting for registered processes



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (this->elide) this->elide = false;
5     else V(&this->mutex);
6 }
7
8 void comply(condition_t *this) {
9     this->queue.count++;           /* sign-in process */
10    vacate(this->guard);           /* release monitor */
11    P(&this->queue.event);         /* delay process */
12    this->queue.count--;           /* sign-out process */
13 }
14
15 void cancel(condition_t *this) {
16     if (this->queue.count > 0) { /* any registered? */
17         this->elide = true;     /* leave locked */
18         V(&this->queue.event);  /* continue complier */
19     }
20 }
```



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     this->queue.count++;           /* sign-in process */
7     vacate(this->guard);           /* release monitor */
8     P(&this->queue.event);         /* delay process */
9     this->queue.count--;           /* sign-out process */
10    V(&this->prime.event);         /* urgent continue */
11 }
12
13 void cancel(condition_t *this) {
14     if (this->queue.count > 0) { /* any registered? */
15         V(&this->queue.event);    /* continue one */
16         P(&this->prime.event);    /* urgent delay */
17         occupy(this->guard);     /* re-acquire monitor */
18     }
19 }
```



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (this->prime.count > 0) /* urgent waiting? */
5         V(&this->prime.event); /* yes, continue that */
6     else
7         V(&this->mutex);      /* no, release monitor */
8 }
```



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (this->prime.count > 0) /* urgent waiting? */
5         V(&this->prime.event); /* yes, continue that */
6     else
7         V(&this->mutex);      /* no, release monitor */
8 }
```

- in contrast to the solutions discussed before, **exit** from the monitor needs to check two waitlists for pending processes
  - i the re-entrance waitlist (prime), but only in case of urgent processes
  - ii the entrance waitlist (mutex), else



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (this->prime.count > 0) /* urgent waiting? */
5         V(&this->prime.event); /* yes, continue that */
6     else
7         V(&this->mutex);      /* no, release monitor */
8 }
```

- in contrast to the solutions discussed before, **exit** from the monitor needs to check two waitlists for pending processes
- by definition, urgent processes interrupted own operation in favour of processes pending for event handling
  - urgent processes caused events, recently, and want be resumed, expressly



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (this->prime.count > 0) /* urgent waiting? */
5         V(&this->prime.event); /* yes, continue that */
6     else
7         V(&this->mutex);      /* no, release monitor */
8 }
```

- in contrast to the solutions discussed before, **exit** from the monitor needs to check two waitlists for pending processes
- by definition, urgent processes interrupted own operation in favour of processes pending for event handling
- indicator of urgent waiting processes is a counter by means of which the number of process blockings is registered



```
1 void comply(condition_t *this) {
2     this->queue.count++;           /* sign-in process */
3     vacate(this->guard);           /* release monitor */
4     P(&this->queue.event);         /* delay process */
5     this->queue.count--;           /* sign-out process */
6 }
7
8 void cancel(condition_t *this) {
9     if (this->queue.count > 0) {   /* any registered? */
10        this->guard->prime.count++; /* sign-in urgent */
11        V(&this->queue.event);      /* continue queued */
12        P(&this->guard->prime.event); /* urgent wait */
13        this->guard->prime.count--; /* sign-out urgent */
14    }
15 }
```



```
1 void comply(condition_t *this) {
2     this->queue.count++;           /* sign-in process */
3     vacate(this->guard);           /* release monitor */
4     P(&this->queue.event);         /* delay process */
5     this->queue.count--;           /* sign-out process */
6 }
7
8 void cancel(condition_t *this) {
9     if (this->queue.count > 0) {  /* any registered? */
10        this->guard->prime.count++; /* sign-in urgent */
11        V(&this->queue.event);     /* continue queued */
12        P(&this->guard->prime.event); /* urgent wait */
13        this->guard->prime.count--; /* sign-out urgent */
14    }
15 }
```

- as the case may be, comply makes the current process urgent waiting
  - a **preferential queue** (Ger. *Vorzugswarteschlange*) is used to this end



```
1 void comply(condition_t *this) {
2     this->queue.count++;           /* sign-in process */
3     vacate(this->guard);          /* release monitor */
4     P(&this->queue.event);        /* delay process */
5     this->queue.count--;          /* sign-out process */
6 }
7
8 void cancel(condition_t *this) {
9     if (this->queue.count > 0) {  /* any registered? */
10        this->guard->prime.count++; /* sign-in urgent */
11        V(&this->queue.event);     /* continue queued */
12        P(&this->guard->prime.event); /* urgent wait */
13        this->guard->prime.count--; /* sign-out urgent */
14    }
15 }
```

- as the case may be, comply makes the current process urgent waiting
  - a **preferential queue** (Ger. *Vorzugswarteschlange*) is used to this end
- urgent waiting processes proceed with monitor locked (cf. p. 22)



# Outline

---

Preface

Fundamentals

- Mutual Exclusion

- Condition Variable

- Signalling Semantics

Implementation

- Data Structures

- Use Case

- Operations

Summary



- in linguistic terms, a monitor is a **language notation** for a critical region and one or more associated shared variables
  - a shared class [7, p. 226–232], inspired by SIMULA 67 [3]
  - linked with event queues [6] or condition variables [12], resp.
  - differentiated by several signalling semantics and conventions [13]
- in operating-system terms, a monitor is a means of **control** of the **scheduling** of resources among interacting processes
  - mutual-exclusive use of non-preemptable reusable resources
  - coordinated use of consumable resources according to a causal chain
- in system-programming terms, a monitor can be readily implemented by a **binary semaphore** and **event queues**
  - note that a **mutex** is to be rejected for the *signal and wait* variants

## Hansen

*In practice, monitors would, of course, be implemented by un-interruptible operations in assembly language. [11, p. 31]*



- in linguistic terms, a monitor is a **language notation** for a critical region and one or more associated shared variables
  - a shared class [7, p. 226–232], inspired by SIMULA 67 [3]
  - linked with event queues [6] or condition variables [12], resp.
  - differentiated by several signalling semantics and conventions [13]
- in operating-system terms, a monitor is a means of **control** of the **scheduling** of resources among interacting processes
  - mutual-exclusive use of non-preemptable reusable resources
  - coordinated use of consumable resources according to a causal chain
- in system-programming terms, a monitor can be readily implemented by a **binary semaphore** and **event queues**
  - note that a **mutex** is to be rejected for the *signal and wait* variants

## Hansen

*In practice, monitors would, of course, be implemented by un-interruptible operations in assembly language. [11, p. 31]*



- in linguistic terms, a monitor is a **language notation** for a critical region and one or more associated shared variables
  - a shared class [7, p. 226–232], inspired by SIMULA 67 [3]
  - linked with event queues [6] or condition variables [12], resp.
  - differentiated by several signalling semantics and conventions [13]
- in operating-system terms, a monitor is a means of **control** of the **scheduling** of resources among interacting processes
  - mutual-exclusive use of non-preemptable reusable resources
  - coordinated use of consumable resources according to a causal chain
- in system-programming terms, a monitor can be readily implemented by a **binary semaphore** and **event queues**
  - note that a **mutex** is to be rejected for the *signal and wait* variants

## Hansen

*In practice, monitors would, of course, be implemented by un-interruptible operations in assembly language. [11, p. 31]*



- in linguistic terms, a monitor is a **language notation** for a critical region and one or more associated shared variables
  - a shared class [7, p. 226–232], inspired by SIMULA 67 [3]
  - linked with event queues [6] or condition variables [12], resp.
  - differentiated by several signalling semantics and conventions [13]
- in operating-system terms, a monitor is a means of **control** of the **scheduling** of resources among interacting processes
  - mutual-exclusive use of non-preemptable reusable resources
  - coordinated use of consumable resources according to a causal chain
- in system-programming terms, a monitor can be readily implemented by a **binary semaphore** and **event queues**
  - note that a **mutex** is to be rejected for the *signal and wait* variants

### Hansen

*In practice, monitors would, of course, be implemented by un-interruptible operations in assembly language. [11, p. 31]*



- in linguistic terms, a monitor is a **language notation** for a critical region and one or more associated shared variables
  - a shared class [7, p. 226–232], inspired by SIMULA 67 [3]
  - linked with event queues [6] or condition variables [12], resp.
  - differentiated by several signalling semantics and conventions [13]
- in operating-system terms, a monitor is a means of **control** of the **scheduling** of resources among interacting processes
  - mutual-exclusive use of non-preemptable reusable resources
  - coordinated use of consumable resources according to a causal chain
- in system-programming terms, a monitor can be readily implemented by a **binary semaphore** and **event queues**
  - note that a **mutex** is to be rejected for the *signal and wait* variants

## Hansen

*In practice, monitors would, of course, be implemented by un-interruptible operations in assembly language. [11, p. 31]*



# Reference List I

---

- [1] BUHR, P. A. ; FORTIER, M. :  
Monitor Classification.  
In: *ACM Computing Surveys* 27 (1995), März, Nr. 1, S. 63–107
- [2] CAMPBELL, R. H. ; HABERMANN, A. N.:  
The Specification of Process Synchronization by Path Expressions.  
In: GELENBE, E. (Hrsg.) ; KAISER, C. (Hrsg.): *Operating Systems: Proceedings of an International Symposium held at Rocquencourt, April 23–25, 1974*, Springer-Verlag London, 1974 (Lecture Notes in Computer Science 16), S. 89–102
- [3] DAHL, O.-J. ; MYHRHAUG, B. ; NYGAARD, K. :  
SIMULA Information: Common Base Language / Norwegian Computing Center.  
1970 (S-22). –  
Forschungsbericht
- [4] DAHL, O.-J. ; NYGAARD, K. :  
SIMULA—An ALGOL-Based Simulation Language.  
In: *Communications of the ACM* 9 (1966), Sept., Nr. 9, S. 671–678
- [5] DIJKSTRA, E. W.:  
Hierarchical Ordering of Sequential Processes.  
In: *Acta Informatica* 1 (1971), S. 115–138



## Reference List II

---

- [6] HANSEN, P. B.:  
Structured Multiprogramming.  
In: *Communications of the ACM* 15 (1972), Jul., Nr. 7, S. 574–578
- [7] HANSEN, P. B.:  
*Operating System Principles*.  
Englewood Cliffs, N.J., USA : Prentice-Hall, Inc., 1973. –  
ISBN 0–13–637843–9
- [8] HANSEN, P. B.:  
A Programming Methodology for Operating System Design.  
In: ROSENFELD, J. L. (Hrsg.) ; International Federation for Information Processing (IFIP) (Veranst.): *Information Processing 74: Proceedings of the IFIP Congress 74*.  
Amsterdam : North-Holland, 1974, S. 394–397
- [9] HANSEN, P. B.:  
The Programming Language Concurrent Pascal.  
In: *IEEE Transactions on Software Engineering* SE-1 (1975), Jun., Nr. 2, S. 199–207



## Reference List III

---

- [10] HANSEN, P. B.:  
Monitors and Concurrent Pascal: A Personal History.  
In: BERGIN, JR., T. (Hrsg.) ; GIBSON, JR., R. G. (Hrsg.): *History of Programming Languages—II*.  
New York, NY, USA : ACM, 1996. –  
ISBN 0–201–89502–1, S. 121–172
- [11] HANSEN, P. B.:  
The Invention of Concurrent Programming.  
In: HANSEN, P. B. (Hrsg.): *The Origin of Concurrent Programming: From Semaphores to Remote Procedure Calls*.  
New York, NY, USA : Springer-Verlag New York, 2002. –  
ISBN 0–387–95401–5, S. 3–61
- [12] HOARE, C. A. R.:  
Monitors: An Operating System Structuring Concept.  
In: *Communications of the ACM* 17 (1974), Okt., Nr. 10, S. 549–557
- [13] HOWARD, J. H.:  
Signaling in Monitors.  
In: YEH, R. T. (Hrsg.) ; RAMAMOORTHY, C. V. (Hrsg.): *Proceedings of the 2nd International Conference on Software Engineering (ICSE '76)*.  
Los Alamitos, CA, USA : IEEE Computer Society Press, 1976, S. 47–52



- [14] LAMPSON, B. W. ; REDELL, D. D.:  
Experiences with Processes and Monitors in Mesa.  
In: *Communications of the ACM* 23 (1980), Febr., Nr. 2, S. 105–117
- [15] SCHMIDT, D. C.:  
Strategized Locking, Thread-safe Interface, and Scoped Locking: Patterns and Idioms for Simplifying Multi-threaded C++ Components.  
In: *C++ Report* 11 (1999), Sept., Nr. 9, S. 1–9
- [16] SCHRÖDER-PREIKSCHAT, W. :  
*The Logical Design of Parallel Operating Systems*.  
Upper Saddle River, NJ, USA : Prentice Hall International, 1994. – ISBN 0–13–183369–3
- [17] SCHRÖDER-PREIKSCHAT, W. :  
Processes.  
In: LEHRSTUHL INFORMATIK 4 (Hrsg.): *Concurrent Systems*.  
FAU Erlangen-Nürnberg, 2014 (Lecture Slides), Kapitel 3



- handmade monitor procedures are prone to absence of unblocking the monitor before return: `proceed` is missing or will never be executed
  - object constructors/destructors find a remedy [16, p. 220, Sec. 6.1.4]

```
1 class atomic {
2     static monitor_t sluice;
3 public:
4     atomic() { occupy(&sluice); };
5     ~atomic() { vacate(&sluice); };
6 };
```

- exit from the scope of an `atomic` instance implicitly performs `proceed`:

```
1 int64_t inc64(int64_t *i) {
2     atomic inc; return *i + 1;
3 }
```

- a technique that is also known as the **scoped locking** pattern [15]



- abstractions for **mutual exclusion** of monitor-procedure executions and for **condition synchronisation** of interacting processes
  - both remain syntactically identical, but not semantically
  - in the given example they are reused (cf. p. 12)
    - here, however, without forced long jumps to “signal and return”
    - a certain programming convention is adopted instead (cf. p. 36)
  - the main change is the list of waiting processes. . .



- data type used for keeping track of **waiting processes**:

```
1 typedef struct lineup {
2     int count;           /* number of waiting processes */
3     event_t event;      /* wait-for event */
4 } lineup_t;
```



- a classic monitor implementation on **event queue** basis is considered:

```
1 typedef struct event { } event_t;;
2
3 extern void catch(event_t*);      /* expect event */
4 extern int  coast();              /* wait for event */
5 extern int  await(event_t*);     /* catch & coast */
6 extern int  cause(event_t*);     /* signal event */
```



- a classic monitor implementation on **event queue** basis is considered:

```
1 typedef struct event { } event_t;;
2
3 extern void catch(event_t*);      /* expect event */
4 extern int  coast();              /* wait for event */
5 extern int  await(event_t*);     /* catch & coast */
6 extern int  cause(event_t*);     /* signal event */
```

- catch** ■ makes the process unsusceptible against **lost wakeup**:
- i non-effective in case of cooperative scheduling, otherwise
  - ii inhibits preemption or dispatching (SMP), resp., or
  - iii notifies event sensibility to potential signallers (cause)
- ensures that a process in running state is detectable by cause



- a classic monitor implementation on **event queue** basis is considered:

```
1 typedef struct event { } event_t;;
2
3 extern void catch(event_t*);      /* expect event */
4 extern int  coast();              /* wait for event */
5 extern int  await(event_t*);     /* catch & coast */
6 extern int  cause(event_t*);     /* signal event */
```

**catch** ■ makes the process unsusceptible against **lost wakeup**:

- i non-effective in case of cooperative scheduling, otherwise
- ii inhibits preemption or dispatching (SMP), resp., or
- iii notifies event sensibility to potential signallers (cause)

- ensures that a process in running state is detectable by cause

**coast** ■ if the process was not yet detected by cause, blocks on the event

- otherwise, clears the catch state and keeps the process running



- a classic monitor implementation on **event queue** basis is considered:

```
1 typedef struct event { } event_t;;
2
3 extern void catch(event_t*);      /* expect event */
4 extern int  coast();              /* wait for event */
5 extern int  await(event_t*);     /* catch & coast */
6 extern int  cause(event_t*);     /* signal event */
```

**catch** ■ makes the process unsusceptible against **lost wakeup**:

- i non-effective in case of cooperative scheduling, otherwise
- ii inhibits preemption or dispatching (SMP), resp., or
- iii notifies event sensibility to potential signallers (cause)

- ensures that a process in running state is detectable by cause

**coast** ■ if the process was not yet detected by cause, blocks on the event

- otherwise, clears the catch state and keeps the process running

**await** ■ blocks the process on the specified event (signalled by cause)



- a classic monitor implementation on **event queue** basis is considered:

```
1 typedef struct event { } event_t;;
2
3 extern void catch(event_t*);      /* expect event */
4 extern int  coast();              /* wait for event */
5 extern int  await(event_t*);     /* catch & coast */
6 extern int  cause(event_t*);     /* signal event */
```

- catch** ■ makes the process unsusceptible against **lost wakeup**:
- i non-effective in case of cooperative scheduling, otherwise
  - ii inhibits preemption or dispatching (SMP), resp., or
  - iii notifies event sensibility to potential signallers (cause)
- ensures that a process in running state is detectable by cause
- coast** ■ if the process was not yet detected by cause, blocks on the event
- otherwise, clears the catch state and keeps the process running
- await** ■ blocks the process on the specified event (signalled by cause)
- cause** ■ unblocks processes (tentatively) waiting on the specified event



- a classic monitor implementation on **event queue** basis is considered:

```
1 typedef struct event { } event_t;;
2
3 extern void catch(event_t*);      /* expect event */
4 extern int  coast();             /* wait for event */
5 extern int  await(event_t*);     /* catch & coast */
6 extern int  cause(event_t*);     /* signal event */
```

**catch** ■ makes the process unsusceptible against **lost wakeup**:

- i non-effective in case of cooperative scheduling, otherwise
- ii inhibits preemption or dispatching (SMP), resp., or
- iii notifies event sensibility to potential signallers (cause)

- ensures that a process in running state is detectable by cause

**coast** ■ if the process was not yet detected by cause, blocks on the event

- otherwise, clears the catch state and keeps the process running

**await** ■ blocks the process on the specified event (signalled by cause)

**cause** ■ unblocks processes (tentatively) waiting on the specified event

- based on this abstraction, **waitlist operations** can be composed next



```
1 inline void brace(lineup_t *this) {
2     this->count++;          /* one more delaying */
3     catch(&this->event);    /* ready to block/continue */
4 }
5
6 inline void shift(lineup_t *this) {
7     coast();               /* conditionally block */
8     this->count--;         /* one less delaying */
9 }
10
11 inline void defer(lineup_t *this) {
12     this->count++;          /* one more delaying */
13     await(&this->event);   /* unconditionally block */
14     this->count--;         /* one less delaying */
15 }
16
17 inline int level(lineup_t *this) {
18     return this->count;     /* number delayed procs. */
19 }
```



```
1 inline int avail(lineup_t *this) {
2     if (this->count > 0)                /* any delayed? */
3         cause(&this->event);           /* yes, unblock */
4     return this->count;
5 }
6
7 inline int evoke(lineup_t *this) {
8     int count = this->count;            /* save state */
9     if (count > 0)                     /* any delayed? */
10        admit(elect(&this->event));    /* yes, seize CPU */
11    return count;
12 }
```



```
1 inline int avail(lineup_t *this) {
2     if (this->count > 0)                /* any delayed? */
3         cause(&this->event);           /* yes, unblock */
4     return this->count;
5 }
6
7 inline int evoke(lineup_t *this) {
8     int count = this->count;            /* save state */
9     if (count > 0)                    /* any delayed? */
10        admit(elect(&this->event));    /* yes, seize CPU */
11    return count;
12 }
```

- note that evoke forces a process switch within a still locked monitor
  - as the case may be, the resuming process then unlocks the monitor
  - consequently, the monitor should not be protected by a **mutex** object



```
1 inline int avail(lineup_t *this) {
2     if (this->count > 0)                /* any delayed? */
3         cause(&this->event);           /* yes, unblock */
4     return this->count;
5 }
6
7 inline int evoke(lineup_t *this) {
8     int count = this->count;            /* save state */
9     if (count > 0)                     /* any delayed? */
10        admit(elect(&this->event));    /* yes, seize CPU */
11    return count;
12 }
```

- note that evoke forces a process switch within a still locked monitor
  - as the case may be, the resuming process then unlocks the monitor
  - consequently, the monitor should not be protected by a **mutex** object
- thereto, a cut-through to basic **process management** is appropriate:
  - elect** ■ selects the next process, if any, from the specified waitlist
  - admit** ■ books the current process (signaller) “ready to run” and
    - makes the elected process (signallee) available to the processor



# Signal and Continue

```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     brace(&this->queue);           /* prepare to release */
7     vacate(this->guard);           /* release monitor */
8     shift(&this->queue);           /* release processor */
9 }
10
11 void cancel(condition_t *this) {
12     avail(&this->queue);           /* try signal process */
13 }
```



# Signal and Continue

```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     brace(&this->queue);           /* prepare to release */
7     vacate(this->guard);           /* release monitor */
8     shift(&this->queue);           /* release processor */
9 }
10
11 void cancel(condition_t *this) {
12     avail(&this->queue);           /* try signal process */
13 }
```

- as comply needs to release the monitor before releasing the processor, a potential **race condition** must be prevented
  - brace notifies upcoming blocking of the current process to the system
  - this is to assure the current process of progress guarantee as soon as the monitor was released and another process is enabled to signal



## Signal and Return

```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     brace(&this->queue);           /* prepare to release */
7     vacate(this->guard);           /* release monitor */
8     shift(&this->queue);           /* release processor */
9 }
10
11 void cancel(condition_t *this) {
12     if (!avail(&this->queue))      /* no watcher waiting? */
13         vacate(this->guard);       /* release monitor */
14 }
```



## Signal and Return

```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     brace(&this->queue);           /* prepare to release */
7     vacate(this->guard);           /* release monitor */
8     shift(&this->queue);           /* release processor */
9 }
10
11 void cancel(condition_t *this) {
12     if (!avail(&this->queue))      /* no watcher waiting? */
13         vacate(this->guard);      /* release monitor */
14 }
```

- calling `cancel` must be the **final action** within a monitor procedure
  - similar to the *continue* statement of Concurrent Pascal [9, p. 205]



## Signal and Return

```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     brace(&this->queue);           /* prepare to release */
7     vacate(this->guard);           /* release monitor */
8     shift(&this->queue);           /* release processor */
9 }
10
11 void cancel(condition_t *this) {
12     if (!avail(&this->queue))      /* no watcher waiting? */
13         vacate(this->guard);       /* release monitor */
14 }
```

- calling `cancel` must be the **final action** within a monitor procedure
  - similar to the *continue* statement of Concurrent Pascal [9, p. 205]
- otherwise, the signaller could proceed inside an unlocked monitor if no signallee was detected



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     brace(&this->queue);           /* prepare to release */
7     vacate(this->guard);           /* release monitor */
8     shift(&this->queue);           /* release processor */
9 }
10
11 void cancel(condition_t *this) {
12     if (evoke(&this->queue))      /* signalle done! */
13         occupy(this->guard);      /* re-enter monitor */
14 }
```



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) { V(&this->mutex); }
4
5 void comply(condition_t *this) {
6     brace(&this->queue);           /* prepare to release */
7     vacate(this->guard);           /* release monitor */
8     shift(&this->queue);           /* release processor */
9 }
10
11 void cancel(condition_t *this) {
12     if (evoke(&this->queue))      /* signallee done! */
13         occupy(this->guard);      /* re-enter monitor */
14 }
```

- as the case may be, the signaller blocks on a condition variable:
  - 12 ■ in case of a pending signallee, the signaller interrupts execution
  - a process switch inside the locked monitor takes place (cf. p. 34)
  - in the further course, another process unlocks/releases the monitor
- 13 ■ accordingly, the signaller must make sure to **relock** the monitor



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (!avail(&this->prime))    /* no urgent waiting */
5         V(&this->mutex);        /* release monitor */
6 }
```



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (!avail(&this->prime))    /* no urgent waiting */
5         V(&this->mutex);        /* release monitor */
6 }
```

- in contrast to the solutions discussed before, **exit** from the monitor needs to check two waitlists for pending processes:
  - i the re-entrance waitlist (`prime`), but only in case of urgent processes
  - ii the entrance waitlist (`mutex`), else



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (!avail(&this->prime))    /* no urgent waiting */
5         V(&this->mutex);        /* release monitor */
6 }
```

- in contrast to the solutions discussed before, **exit** from the monitor needs to check two waitlists for pending processes:
  - i the re-entrance waitlist (*prime*), but only in case of urgent processes
  - ii the entrance waitlist (*mutex*), else
- by definition, urgent processes interrupted own operation in favour of processes pending for event handling
  - urgent processes caused events, recently, and want be resumed, expressly



```
1 void occupy(monitor_t *this) { P(&this->mutex); }
2
3 void vacate(monitor_t *this) {
4     if (!avail(&this->prime))    /* no urgent waiting */
5         V(&this->mutex);        /* release monitor */
6 }
```

- in contrast to the solutions discussed before, **exit** from the monitor needs to check two waitlists for pending processes:
  - i the re-entrance waitlist (`prime`), but only in case of urgent processes
  - ii the entrance waitlist (`mutex`), else
- by definition, urgent processes interrupted own operation in favour of processes pending for event handling
  - urgent processes caused events, recently, and want be resumed, expressly
- indicator of urgent waiting processes is a counter by means of which the number of process blockings is registered



```
1 void comply(condition_t *this) {
2     brace(&this->queue);           /* prepare to release */
3     vacate(this->guard);           /* release monitor */
4     shift(&this->queue);           /* release processor */
5 }
6
7 void cancel(condition_t *this) {
8     if (avail(&this->queue))       /* watcher waiting? */
9         defer(&this->guard->prime); /* urgent wait */
10 }
```



```
1 void comply(condition_t *this) {
2     brace(&this->queue);           /* prepare to release */
3     vacate(this->guard);           /* release monitor */
4     shift(&this->queue);           /* release processor */
5 }
6
7 void cancel(condition_t *this) {
8     if (avail(&this->queue))       /* watcher waiting? */
9         defer(&this->guard->prime); /* urgent wait */
10 }
```


- as the case may be, `cancel` makes the current process urgent waiting
  - a **preferential queue** (Ger. *Vorzugswarteschlange*) is used to this end
  - `defer` results in a process switch from line 9 to line 4, back and forth
    - from `cancel` to `shift`, out of `comply`, and back to `cancel` at monitor exit



```
1 void comply(condition_t *this) {
2     brace(&this->queue);           /* prepare to release */
3     vacate(this->guard);           /* release monitor */
4     shift(&this->queue);           /* release processor */
5 }
6
7 void cancel(condition_t *this) {
8     if (avail(&this->queue))       /* watcher waiting? */
9         defer(&this->guard->prime); /* urgent wait */
10 }
```


- as the case may be, `cancel` makes the current process urgent waiting
  - a **preferential queue** (Ger. *Vorzugswarteschlange*) is used to this end
  - `defer` results in a process switch from line 9 to line 4, back and forth
    - from `cancel` to `shift`, out of `comply`, and back to `cancel` at monitor exit
- urgent waiting processes proceed with monitor locked (cf. p. 38)
  - when the monitor owner returns or blocks, an urgent process resumes
  - as a consequence, the monitor should not be protected by a **mutex**






- **ready** ↔ **running** ■ wait (←), scheduler (↔)
- running** → **blocked** ■ urgent wait
- blocked** → **ready** ■ all, iff *effective signalling* (i.e., waiting signallee)





- ready ↔ running
■ wait (←), scheduler (↔)
- running → blocked
■ urgent wait
- blocked → ready
■ all, iff *effective signalling* (i.e., waiting signallee)
- running ↔ pending
■ all (→), signallee released monitor (←)
- pending → blocked
■ all, no overlap of signaller and signallee





- **ready** ↔ **running** ■ wait (←), scheduler (↔)
- running** ↔ **blocked** ■ urgent wait (→), wait (←, iff *full preemptive*)
- blocked** → **ready** ■ all, iff *effective signalling* (i.e., waiting signallee)
- running** ↔ **pending** ■ all (→), signallee released monitor (←)
- pending** → **blocked** ■ all, no overlap of signaller and signallee

